Brain Research, 494 (1989) 407–409
Elsevier

Author Index

Aguilar-Roblero, R., see Arankowsky-Sandoval, G., 396
Akaike, N., see Wakamori, M., 374
Anderson, A.C., see Gean, P.-W., 177
Arankowsky-Sandoval, G., García-Hernández, F., Aguilar-Roblero, R. and Drucker-Colín, R., REM sleep enhancement induced by sensory stimulation is prevented by kainic acid lesion of the pontine reticular formation, 396
Arilla, E., see Rodriguez-Sanchez, M.N., 36
Artola, A., see Chun, M.H., 401
Attal, N., Kayser, V., Jazat, F. and Guilbaud, G., Behavioural evidence for a bidirectional effect of systemic naloxone in a model of experimental neuropathy in the rat, 276

Bando, T., Norita, M., Hirano, T. and Toda, H., Projections of the postero-medial lateral suprasylvian area (PMLS) to cortical area 20 in cats with special reference to pupillary constriction: a physiological and anatomical study, 369
Bankiewicz, K.S., see Perese, D.A., 285
Baraban, J.M., see Stratton, K.R., 359
Bartlett, J.R., see Francis, P.T., 315
Beart, P.M., see Lewis, S.J., 232
Berger, A.J., see Livingston, C.A., 143
Bigbee, J.W. and Foster, R.E., Freeze fracture analysis of the axolemma of cultured dorsal root ganglion neurons in the absence of Schwann cells, 182
Bohl, J., see Kalus, P., 198
Bowen, D.M., see Francis, P.T., 315
Bowyer, D.M., see Cooper, S.J., 172
Braak, E., see Kalus, P., 198
Braak, H., see Kalus, P., 198
Brewer, G.J. and Cotman, C.W., Survival and growth of hippocampal neurons in defined medium at low density: advantages of a sandwich culture technique or low oxygen, 65
Bridges, P.K., see Francis, P.T., 315
Brinton, R.E., see O'Callaghan, J.P., 159
Bruton, C.J., see Francis, P.T., 315
Bryant, G.M., see Rebillard, G., 379
Buchwald, N.A., see Cepeda, C., 215
Buhl, E.H., see Germroth, P., 187

Cassidy, M., see Moffett, J.R., 255
Cepeda, C., Walsh, J.P., Hull, C.D., Buchwald, N.A. and Levine, M.S., Intracellular neurophysiological analysis reveals alterations in excitation in striatal neurons in aged rats, 215
Chun, M.H. and Artola, A., GABA-like activity in in vitro slices of the rat visual cortex: immunocytochemistry and electrophysiology, 401
Clifford, D.B., see Zorumski, C.F., 193
Colas, B., see Rodriguez-Sanchez, M.N., 36
Cole, A.J., see Stratton, K.R., 359
Cooper, K.E., see Fyda, D.M., 307
Cooper, S.J., Bowyer, D.M. and Van der Hoek, G., Effects of the imidazobenzodiazepine Ro 15-4513 on saccharin choice and acceptance, and on food intake, in the rat, 172
Cooper, S.J., see Rusk, I.N., 350
Cotman, C.W., see Brewer, G.J., 65
Coull, B.M., see Woodward, W.R., 42
Cullheim, S., see Risling, M., 13
Curran, G.L., see Weerasuriya, A., 114

Devries, M.J., Ferreira, S.A. and Glass, J.D., Evidence that short photoperiod-induced gonadal regression in the Mongolian gerbil is mediated by the action of melatonin in the medial hypothalamus, 241
Dluzen, D.E. and Ramirez, V.D., Progesterone enhances L-DOPA-stimulated dopamine release from the caudate nucleus of freely behaving ovariectomized-estrogen-primed rats, 122
Drucker-Colín, R., see Arankowsky-Sandoval, G., 396
Dunn-Meynell, A., see Levin, B.E., 325

Eccles, C.U., see Stratton, K.R., 359
Ewing, S.E., see Perese, D.A., 285

Ferreira, S.A., see Devries, M.J., 241
Flood, J.F., see Morley, J.E., 129
Florijn, W.J. and Versteeg, D.H.G., ACTH-(1–24) enhances the electrically stimulated release of [^{3}H]dopamine from rat septal slices via a dopamine D_2 receptor-independent mechanism, 247
Foster, R.E., see Bigbee, J.W., 182
Francis, P.T., Poynton, A., Lowe, S.L., Najlerahim, A., Bridges, P.K., Bartlett, J.R., Procter, A.W., Bruton, C.J. and Bowen, D.M., Brain amino acid concentrations and Ca^{2+}-dependent release in intractable depression assessed antemortem, 315
Franson, P., see Risling, M., 13
Fujikura, H., Kato, H., Nakano, S. and Kogure, K., A serotonin S_2 antagonist, naftidrofuryl, exhibited a protective effect on ischemic neuronal damage in the gerbil, 387
Fyda, D.M., Cooper, K.E. and Veale, W.L., Indomethacin-induced antipyresis in the rat: role of vasopressin receptors, 307

García-Hernández, F., see Arankowsky-Sandoval, G., 396
Gean, P.-W., Shinnick-Gallagher, P. and Anderson, A.C., Spontaneous epileptiform activity and alteration of GABA- and of NMDA-mediated neurotransmission in amygdala neurons kindled in vivo, 177
Germroth, P., Schwerdtfeger, W.K. and Buhl, E.H., GABAergic neurons in the entorhinal cortex project to the hippocampus, 187
Glass, J.D., see Devries, M.J., 241
Guilbaud, G., see Attal, N., 276

Hirano, T., see Bando, T., 369
Hiscock, J. and Straznicky, C., Neuropeptide Y-like immunoreactive amacrine cells in the retina of *Bufo marinus*, 55
Hull, C.D., see Cepeda, C., 215

Illnerová, H., Mechanism of the re-entrainment of the circadian rhythm in the rat pineal *N*-acetyltransferase activity to an eight-hour advance of the light–dark cycle: phase-jump is involved, 365

Innis, N.K., see Schacter, G.B., 339
Inoue, K., see Kusonoki, S., 391
Ishizaki, Y., Morita, I. and Murota, S.-I., Arachidonic acid metabolism in cultured astrocytes from rat embryo and in C_6 glioma cells, 138
Iwamori, M., see Kusonoki, S., 391

Jarrott, B., see Lewis, S.J., 232
Jazat, F., see Attal, N., 276

Kalus, P., Braak, H., Braak, E. and Bohl, J., The presubicular region in Alzheimer's disease: topography of amyloid deposits and neurofibrillary changes, 198
Kamada, T., see Kanagawa-Terayama, Y., 75
Kanagawa-Terayama, Y., Wanaka, A., Yamasaki, H., Matsuyama, T., Matsumoto, M., Kamada, T., Yanaihara, C. and Tohyama, M., Immunocytochemical analysis of [Met^5]-enkephalin-Arg^6-Gly^7-Leu^8 immunoreactive structures in the rat superior cervical ganglion, 75
Kaneda, M., see Wakamori, M., 374
Kato, H., see Fujikura, H., 387
Katovich, M.J., Simpkins, J.W. and O'Meara, J., Effects of acute central LH-RH administration of the skin temperature response in morphine dependent rats, 85
Kayser, V., see Attal, N., 276
Klooster, J., see Ten Tusscher, M.P.M., 95
Klooster, J., see Ten Tusscher, M.P.M., 105
Kogure, K., see Fujikura, H., 387
Konishi, S., see Song, S.-Y., 383
Kubota, Y., see Tsuchiyama, M., 168
Kusunoki, S., Inoue, K., Iwamori, M., Nagai, Y. and Mannen, T., Discrimination of human dorsal root ganglion cells by anti-fucosyl GM1 antibody, 391

Lamers, W.P.M.A., see Ten Tusscher, M.P.M., 95
Lamers, W.P.M.A., see Ten Tusscher, M.P.M., 105
Levin, B.E. and Dunn-Meynell, A., Noradrenergic innervation does not affect chronic regulation of [^{125}I]pindolol receptors in fetal rat brain transplants or host neocortex, 325
Levine, M.S., see Cepeda, C., 215
Lewis, S.J., Verberne, A.J.M., Robinson, T.G., Jarrott, B., Louis, W.J. and Beart, P.M., Excitotoxin-induced lesions of the central but not basolateral nucleus of the amygdala modulate the baroreceptor heart rate reflex in conscious rats, 232
Lindå, H., see Risling, M., 13
Livingston, C.A. and Berger, A.J., Immunocytochemical localization of GABA in neurons projecting to the ventrolateral nucleus of the solitary tract, 143
Louis, W.J., see Lewis, S.J., 232
Lowe, S.L., see Francis, P.T., 315
Luebke, J.I., see Wright, L.L., 267

Majane, E.A., Panula, P. and Yang, H.-Y.T., Rat brain regional distribution and spinal cord neuronal pathway of FLFQPQRF-NH_2, a mammalian FMRF-NH_2-like peptide, 1
Mannen, T., see Kusonoki, S., 391
Marks, G.A. and Roffwarg, H.P., The cholinergic influence upon rat dorsal lateral geniculate nucleus is dependent on state of arousal, 294
Matsumoto, M., see Kanagawa-Terayama, Y., 75
Matsushima, R., see Tashiro, T., 162
Matsuyama, T., see Kanagawa-Terayama, Y., 75
McEwen, B.S., see O'Callaghan, J.P., 159
Meshul, C.K., see Woodward, W.R., 42
Mizuno, N., see Tashiro, T., 162
Moffett, J.R., Cassidy, M. and Namboodiri, M.A.A., Selective distribution of *N*-acetylaspartylglutamate immunoreactivity in the extrapyramidal system of the rat, 255
Mogenson, G.J., see Schacter, G.B., 339
Mogenson, G.J., see Tsai, C.T., 22
Morita, I., see Ishizaki, Y., 138
Morley, J.E. and Flood, J.F., The effect of neuropeptide Y on drinking in mice, 129
Mueller, K., Repeated administration of high doses of amphetamine increases release of ascorbic acid in caudate but not nucleus accumbens, 30
Murota, S.-I., see Ishizaki, Y., 138

Nagai, Y., see Kusonoki, S., 391
Najlerahim, A., see Francis, P.T., 315
Nakano, S., see Fujikura, H., 387
Namboodiri, M.A.A., see Moffett, J.R., 255
Noguchi, K., see Song, S.-Y., 383
Norita, M., see Bando, T., 369

O'Callaghan, J.P., Brinton, R.E. and McEwen, B.S., Glucocorticoids regulate the concentration of glial fibrillary acidic protein throughout the brain, 159
O'Meara, J., see Katovich, M.J., 85
Oyama, Y., see Wakamori, M., 374

Panula, P., see Majane, E.A., 1
Perese, D.A., Ulman, J., Viola, J., Ewing, S.E. and Bankiewicz, K.S., A 6-hydroxydopamine-induced selective parkinsonian rat model, 285
Pezalla, P.D., see Stevens, C.W, 227
Pickard, G.E., Entrainment of the circadian rhythm of wheel-running activity is phase shifted by ablation of the intergeniculate leaflet, 151
Poduslo, J.F., see Weerasuriya, A., 114
Poynton, A., see Francis, P.T., 315
Prieto, J.C., see Rodriguez-Sanchez, M.N., 36
Pritchett, J., see Stratton, K.R., 359
Procter, A.W., see Francis, P.T., 315

Ramirez, V.D., see Dluzen, D.E., 122
Rebillard, G. and Bryant, G.M., Effects of in vivo perfusion of glutamate dehydrogenase in the guinea pig cochlea on the VIIIth nerve compound action potential, 379
Risling, M., Lindå, H., Cullheim, S and Franson, P., A persistent defect in the blood–brain barrier after ventral funiculus lesion in adult cats: implications for CNS regeneration?, 13
Robinson, T.G., see Lewis, S.J., 232
Rodriguez-Sanchez, M.N., Colas, B., Prieto, J.C. and Arilla, E., Effects of insulin-induced hypoglycemia on somatostatin level and binding in rat cerebral cortex and hippocampus, 36
Roffwarg, H.P., see Marks, G.A, 294
Rusk, I.N. and Cooper, S.J., Microstructural analysis of the anorectic effect of N-0437, a highly selective dopamine D_2 agonist, 350

Saito, K., see Song, S.-Y., 383
Satoda, T., see Tashiro, T., 162
Scammell, T.E., Schwartz, W.J. and Smith, C.B., No evidence for a circadian rhythm of protein synthesis in the rat suprachiasmatic nuclei, 155
Schacter, G.B., Yang, C.R., Innis, N.K. and Mogenson, G.J.,

The role of the hippocampal-nucleus accumbens pathway in radial-arm maze performance, 339
Scheller, R.H., see Sossin, W.S., 205
Schwartz, W.J., see Scammell, T.E., 155
Schwerdtfeger, W.K., see Germroth, P., 187
Shinnick-Gallagher, P., see Gean, P.-W., 177
Simpkins, J.W., see Katovich, M.J., 85
Smith, C.B., see Scammell, T.E., 155
Song, S.-Y., Saito, K., Noguchi, K. and Konishi, S., Different GTP-binding proteins mediate regulation of calcium channels by acetylcholine and noradrenaline in rat sympathetic neurons, 383
Sossin, W.S. and Scheller, R.H., A bag cel neuron-specific antigen localizes to a subset of dense core vesicles in *Aplysia californica*, 205
Stevens, C.W. and Pezalla, P.D., Endogenous opioid system down-regulation during hibernation in amphibians, 227
Stratton, K.R., Cole, A.J., Pritchett, J., Eccles, C.U., Worley, P.F. and Baraban, J.M., Intrahippocampal injection of pertussis toxin blocks adenosine suppression of synaptic responses, 359
Straznicky, C., see Hiscock, J., 55
Sugita, M., see Tsuchiyama, M., 168

Tashiro, T., Satoda, T., Matsushima, R. and Mizuno, N., Enkephalin-, substance P- and serotonin-like immunoreactive axonal varicosities in close apposition to perikarya of mesencephalic trigeminal nucleus neurons in the cat, 162
Ten Tusscher, M.P.M., Klooster, J., Van der Want, J.J.L., Lamers, W.P.M.A. and Vrensen, G.F.J.M., The allocation of nerve fibres to the anterior eye segment and peripheral ganglia of rats. I. The sensory innervation, 95
Ten Tusscher, M.P.M., Klooster, J., Van der Want, J.J.L., Lamers, W.P.M.A. and Vrensen, G.F.J.M., The allocation of nerve fibres to the anterior eye segment and peripheral ganglia of rats. II. The sympathetic innervation, 105
Toda, H., see bando, T., 369
Todd, R.D., see Zorumski, C.F., 193
Tohyama, M., see Kanagawa-Terayama, Y., 75
Tohyama, M., see Tsuchiyama, M., 168
Tsai, C.T., Mogenson, G.J., Wu, M. and Yang, C.R., A comparison of the effects of electrical stimulation of the amygdala and hippocampus on subpallidal output neurons to the pedunculopontine nucleus, 22
Tsuchiyama, M., Kubota, Y., Sugita, M., Usuda, S. and Tohyama, M., Direct synaptic contacts of catecholamine fibers on neuropeptide Y-containing neurons of the rat cerebral cortex, 168

Ulman, J., see Perese, D.A, 285
Usuda, S., see Tsuchiyama, M., 168

Van der Hoek, G., see Cooper, S.J., 172
Van der Want, J.J.L., see Ten Tusscher, M.P.M., 95
Van der Want, J.J.L., see Ten Tusscher, M.P.M., 105
Veale, W.L., see Fyda, D.M., 307
Verberne, A.J.M., see Lewis, S.J., 232
Versteeg, D.H.G., see Florijn, W.J., 247
Viola, J., see Perese, D.A., 285
Vrensen, G.F.J.M., see Ten Tusscher, M.P.M., 95
Vrensen, G.F.J.M., see Ten Tusscher, M.P.M., 105

Wakamori, M., Kaneda, M., Oyama, Y. and Akaike, N., Effects of chlordiazepoxide, chlorpromazine, diazepam, diphenylhydantoin, flunitrazepam and haloperidol on the voltage-dependent sodium current of isolated mammalian brain neurons, 374
Walsh, J.P., see Cepeda, C., 215
Wanaka, A., see Kanagawa-Terayama, Y., 75
Weerasuriya, A., Curran, G.L. and Poduslo, J.F., Blood–nerve transfer of albumin and its implications for the endoneurial microenvironment, 114
Woodward, W.R., Meshul, C.K. and Coull, B.M., Ultrastructural and functional evidence for the survival of corticogeniculate neurons in kainic acid-lesioned lateral geniculate nucleus, 42
Worley, P.F., see Stratton, K.R., 359
Wright, L.L. and Luebke, J.I., Somatostatin-, vasoactive intestinal polypeptide- and neuropeptide Y-like immunoreactivity in eye- and submandibular gland-projecting sympathetic neurons, 267
Wu, M., see Tsai, C.T., 22

Yamasaki, H., see Kanagawa-Terayama, Y., 75
Yanaihara, C., see Kanagawa-Terayama, Y., 75
Yang, C.R., see Schacter, G.B., 339
Yang, C.R., see Tsai, C.T., 22
Yang, H.-Y.T., see Majane, E.A, 1

Zorumski, C.F., Todd, R.D. and Clifford, D.B., Complex responses activated by ibotenate in postnatal rat hippocampal neurons, 193